


LAMIERE STIRATE


EXPANDED METAL
METAL DEPLOYE

MAGLIA QUADRA




DETTAGLI TECNICI


DL= diagonale lunga
DC= diagonale corta
L = lato
AV= avanzamento
SP= spessore




DL 2 DC 1,6	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,30	0,30	0,900
	0,40	0,40	1,600
	0,40	0,50	2,000




DL 3 DC 2,2	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,35	0,30	0,650
	0,40	0,40	1,150
	0,50	0,50	1,800




DL 4 DC 3	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,40	0,40	0,850
	0,50	0,50	1,350
	0,60	0,60	1,900



DL 5 DC 4	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,50	0,50	1,000
	0,60	0,60	1,450
	0,80	0,80	2,550



DL 6 DC 4,5	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,50	0,50	0,900
	0,60	0,60	1,300
	0,80	0,80	2,250




DL 8 DC 6	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
	0,60	0,60	0,950
	0,80	0,80	1,700
	1,00	1,00	2,650

SQUARE MESH MAILLE CARREE

TECHNICAL DETAILS

DL = long diagonal
DC = short diagonal
L = side
AV = strand width
SP = thickness



DL 10	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 8	0,60	0,60	0,700
	0,80	0,80	1,300
	1,00	1,00	2,000




DL 14	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 11	0,80	0,80	0,950
	1,00	1,00	1,450
	1,50	1,50	3,250




DL 18	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 13	1,00	1,00	1,250
	1,50	1,00	1,850
	1,50	1,50	2,750

DETAILS TECHNIQUES

DL= diagonale longue
DC= diagonale courte
L = côté
AV= lanière
SP= épaisseur



DL 12	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 9,5	0,80	0,80	1,100
	1,00	1,00	1,700
	1,50	1,50	3,750



DL 16	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 12	1,00	1,00	1,350
	1,50	1,00	2,000
	1,50	1,50	3,000



DL 20	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 15	1,00	1,00	1,050
	1,50	1,00	1,600
	1,50	1,50	2,400


LAMIERE STIRATE

EXPANDED METAL
METAL DEPLOYE



DL 25	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 19	1,00	1,00	0,850
	1,50	1,50	1,900
	2,00	2,00	3,350

MAGLIA QUADRA



DL 30	Avanzamento av/mm	Spessore sp/mm	Peso per m ² /kg
DC 23	1,00	1,00	0,750
	1,50	1,50	1,550
	2,00	2,00	2,750

Misure espresse in mm - Dimensions in mm - Dimensions exprimées en mm

Soluzioni per ogni esigenza

Solutions for every needs

Solutions pour chaque exigence



CONTATTACI

CONTACT US - CONTACTEZ-NOUS

Su richiesta sono realizzabili altre maglie:
www.actisfurio.com

Other meshes are available on request:
www.actisfurio.com

Différentes mailles son disponibles sur demande:
www.actisfurio.com

SQUARE MESH
MAILLE CARREE

